



114R™

## REGIONAL-HAUL, TRAILER TIRE

### THE SOLUTION FOR REGIONAL TRAILER TIRE WEAR

- FUEL EFFICIENT
- ADVANCED WEAR RESISTANCE
- DURABLE CONSTRUCTION



### THE SOLUTION FOR REGIONAL TRAILER TIRE WEAR

Featuring a high-scrub tread compound and rounded shoulder ribs, the Yokohama 114R is our newest wear-resistant trailer tire for regional operations. Whether you're running closed axle or spread axle trailers, the long-lasting 114R is the smart solution for increased productivity and reduced costs.



#### ROUND SHOULDER RIBS

Specifically designed to resist curb damage and help reduce wear—especially in spread axle applications.




#### HIGH SCRUB COMPOUND

Formulated to resist tread cutting and chipping without producing a negative impact on fuel efficiency.



#### OPTIMIZED TREAD DEPTH

Up to 16/32" delivers maximum fuel efficiency and long-lasting service.



#### STURDY RIB DESIGN

Provides flawless tracking and improved fuel efficiency while minimizing tread wear.



#### FUNNEL SHAPED STEP GROOVES

Prevent stones and other debris from reaching the bottom of the grooves where casing damage can occur.

TIRE SIZE	PART #	PLY RATING	TIRE WEIGHT (lbs)	RIM WIDTHS (inches)		INFLATED DIMENSIONS (inches)		TREAD DEPTH 1/32"	LOADED DIMENSIONS (inches)			MAX LOAD (lbs) @ MAX PSI		MAX SPEED (KPH)
				PREF	ALT	OVERALL WIDTH	OVERALL DIAMETER		STATIC RADIUS	REV / MILE	SECTION WIDTH	SINGLE	DUAL	
255/70R22.5	120111482	16H	84.49	7.50	6.75-8.25	9.9	36.3	14	17.0	574	10.9	5510 @ 120	5070 @ 120	120
275/70R22.5	120111483	18J	99.49	8.25	7.50-8.25	10.7	37.7	14	17.5	555	11.7	6940 @ 131	6395 @ 131	120
295/75R22.5	120111485	16H	105.40	9.00	8.25 - 9.00	11.4	40.0	16	18.6	522	12.4	6610 @ 120	6005 @ 120	120
11R22.5	120111486	16H	111.10	8.25	7.50-8.25	11.0	41.3	16	19.3	505	12.1	6610 @ 120	6005 @ 120	120
285/75R24.5	120111487	16H	109.70	8.25	7.50-9.00	10.9	41.2	16	19.2	507	11.9	6780 @ 120	6175 @ 120	120
11R24.5	120111488	16H	119.40	8.25	7.50-8.25	11.1	43.3	16	20.2	482	12.2	7160 @ 120	6610 @ 120	120

Yokohama tires are subject to an ongoing development process. Yokohama Tire (Canada) Inc. reserves the right to change product specifications at any time without notice or obligation.



The 114R is designed to meet SmartWay's stringent low rolling resistance criteria.



#### YOKOHAMA EMERGENCY SERVICE - 1.800.282.1570

With a multitude of services available, Yokohama is saying "YES" to your fleets' emergency roadside tire needs around the clock and throughout Canada and United States.

# 114R UWB

- LONG-LASTING PERFORMANCE
- DURABLE CONSTRUCTION
- FUEL EFFICIENCY



# 114R UWB


## REGIONAL HAUL TRAILER TIRE

### BUILT FOR THE ROADS YOU TRAVEL

Introducing the all-new 114R UWB. A durable, SmartWay verified, regional haul trailer tire specifically designed to meet the demands of high scrub operations. With superior cut and chip resistance, extended tread life, and an overall optimized fuel-efficient design, the 114R UWB is ready for duty.




**16/32" TREAD DEPTH**  
Optimized tread depth delivers maximum efficiency and extra-long tread life.



**ZERO DEGREE BELT**  
The cornerstone to our highly durable and retreadable casing, the Zero Degree Belt creates a consistently stable footprint for long, even wear.



**FUNNEL-SHAPE STEPPED GROOVES**  
Prevents stones and other debris from reaching the bottom of the grooves where casing damage can occur.



**CUT & CHIP RESISTANT COMPOUND**  
Our advanced compound offers cut and chip resistance without sacrificing rolling resistance or wear performance.

**CASING WARRANTY**  
Backed by a 6 year,  
3 retread casing warranty

**NEWLY-DESIGNED TREAD PATTERN**  
Ground contact pressure is uniformly distributed resulting in greater stability, flawless tracking and improved fuel efficiency.

TIRE SIZE	PART #	PLY RATING	TIRE WEIGHT (lbs)	RIM WIDTHS (inches)		INFLATED DIMENSIONS (inches)		TREAD DEPTH 1/32"	LOADED DIMENSIONS (inches)			MAX LOAD (lbs) @ MAX PSI	
				PREF	ALT	OVERALL WIDTH	OVERALL DIAMETER		STATIC RADIUS	REV / MILE	SECTION WIDTH	SINGLE	DUAL
445/50R22.5	120111480	20L	186.9	14.00	15.00	17.5	39.7	16	18.5	526	18.5	10200 @ 120	N/A
455/55R22.5	120111481	20L	204.4	14.00	15.00	18.3	41.8	16	19.3	502	19.4	11000 @ 120	N/A

Yokohama tires are subject to an ongoing development process. Yokohama Tire (Canada) Inc. reserves the right to change product specifications at any time without notice or obligation.



Our STEM-2 technology reinforces the casing, minimizing the damaging effects of strain energy created from heavy loads, heat, rough roads and everyday operations.



The 114R UWB is one of many Yokohama tires designed to meet SmartWay's stringent low rolling resistance criteria.



### YOKOHAMA EMERGENCY SERVICE - 1.800.282.1570

With a multitude of services available, Yokohama is saying "YES" to your fleets' emergency roadside tire needs around the clock and throughout Canada and United States.

MAY 2020